


10 to 30 mm Hg and a flow rate of approximately 1 to 2 ml min. for as long as approximately 72 hours to 7 days at hypothermic temperatures for storage and/or transport. However, these criteria will vary depending on the condition of the particular organ, the donor body and/or the donee body and/or on the size of the particular organ. One of ordinary skill in the art can select appropriate conditions without undue experimentation in view of the guidance set forth herein. Other organs that may be perfused according to the method of the invention may include, but are not limited to, the liver, pancreas, lungs and intestines.

#### REMARKS

Claims 1 - 1-43 are pending. By this Preliminary Amendment, paragraphs [0002] and [0032] are amended to correct typographical errors. Prompt and favorable examination on the merits is respectfully requested.

The attached Appendix includes marked-up copies of each rewritten paragraph (37 C.F.R. §1.121(b)(1)(iii)).

Respectfully submitted,

  
William P. Berridge  
Registration No. 30,024

Joel S. Armstrong  
Registration No. 36,430

WPB:JSA/kaf

Attachment:  
Appendix

Date: August 27, 2001

**OLIFF & BERRIDGE, PLC**  
**P.O. Box 19928**  
**Alexandria, Virginia 22320**  
**Telephone: (703) 836-6400**

DEPOSIT ACCOUNT USE AUTHORIZATION Please grant any extension necessary for entry: Charge any fee due to our Deposit Account No. 15-0461
--